





# CADENAS • CHAINS • CATENE

## CADENA CALIBRADA GALVANIZADA CALIBRATED CHAIN IN GALVANIZED STEEL CATENA CALIBRATA GALVANIZZATA

De acero galvanizado al fuego. Hot dip galvanized steel. In acciaio galvanizzato a caldo.




Ref		Ref		Ø	NORMA RULE NORME		
GS61110	50 m	GS61130	100 m	6 mm	DIN766	30,5 x 20	1.800 kg
GS61109	50 m	GS61135	100 m	7 mm	ISO	35 x 23	2.500 kg
GS61111	50 m	GS61131	100 m	8 mm	DIN766	40 x 26	3.200 kg
GS61112	50 m	GS61132	100 m	10 mm	DIN766	48 x 34	5.000 kg
GS61114	50 m	GS61133	100 m	10 mm	ISO	50 x 35	5.000 kg
		GS61136	70 m	10 mm	ISO	50 x 35	5.000 kg
GS61113	50 m	GS61134	100 m	12 mm	ISO	60 x 40	8.500 kg
		GS61108	110 m	13 mm	DIN766	62 x 46	9.500 kg
GS61127	50 m			14 mm	ISO	70 x 46	10.000 kg

**GOLDENSHIP**



## CADENA CALIBRADA INOX CALIBRATED CHAIN STAINLESS STEEL CATENA CALIBRATA INOX

AISI-316




Ref		Ø		
GS61115	50 m	6 mm	DIN 30,5 x 23	1.400 kg
GS61116	50 m	8 mm	DIN 40 x 26	3.000 kg
GS61117	50 m	10 mm	ISO 50 x 34	4.000 kg
GS61144	100 m	10 mm	ISO 50 x 34	4.000 kg
GS61118	50 m	12 mm	ISO 60 x 40	8.400 kg
GS61146	100 m	12 mm	DIN 60 x 40	8.400 kg

**GOLDENSHIP**



## CADENA DE FONDEO GALVANIZADA ANCHOR CHAIN IN GALVANIZED STEEL CATENA ANCORAGGIO GALVANIZZATA

De acero galvanizado al fuego. Hot dip galvanized steel. In acciaio galvanizzato a caldo.




Ref		Ø		
GS61101	50 m	6 mm	36 x 23	1.300 kg
GS61102	50 m	8 mm	48 x 30	2.300 kg
GS61103	50 m	10 mm	60 x 37	4.300 kg
GS61104	50 m	12 mm	72 x 46	5.000 kg
GS61105	50 m	14 mm	84 x 51	7.000 kg
GS61106	50 m	16 mm	88 x 56	9.000 kg
GS61107	50 m	20 mm	110 x 70	18.000 kg

**GOLDENSHIP**



## CADENA DE FONDEO INOX ANCHOR CHAIN STAINLESS STEEL CATENA ANCORAGGIO INOX


AISI-316

Ref		Ø		
GS61126	50 m	1,5 mm	17 x 8	50 kg
GS61124	50 m	2 mm	18 x 9	200 kg
GS61125	50 m	3 mm	25 x 13	300 kg
GS61120	50 m	4 mm	28 x 16	900 kg
GS61119	50 m	5 mm	31 x 20	290 kg
GS61121	50 m	6 mm	36 x 24	1.000 kg
GS61122	50 m	8 mm	48 x 32	2.200 kg
GS61123	50 m	10 mm	60 x 40	3.000 kg
GS61137	50 m	12 mm	72 x 48	4.000 kg
GS61138	50 m	16 mm	96 x 64	7.500 kg

**GOLDENSHIP**



## ESLABON DE ACERO INOX CHAIN QUICKLINK IN STAINLESS STEEL FALSAMAGLIA ACCIAIO INOX

Ref	Ø	
GS61140	6 mm	1
GS61141	8 mm	1
GS61142	10 mm	1
GS61143	12 mm	1



**GOLDENSHIP**







## KIT CONCRETE CHAIN MARKER SEGNACATENA

Kit de piezas de plástico elástico con colores, para marcar la cadena de molinete. No necesita herramientas para su colocación.

Kit of plastic pieces used to mark the anchor chain. No tools needed.

Kit parti in plastica elastici con i colori, per contrassegnare la catena. Non ci sono strumenti necessari per l'installazione.



Ref		Ref		Ref		Ref		Ref		Ø	
GS61147	GS61180	GS61183	GS61186	GS61189	6 mm	14					
GS61148	GS61181	GS61184	GS61187	GS61190	8 mm	10					
GS61149	GS61182	GS61185	GS61188	GS61191	10 mm	8					
GS61192	GS61193	GS61194	GS61195	GS61196	12 mm	8					

**GOLDENSHIP**






## TRAGACADENAS DE ACERO INOX AISI-316 CHAIN DECK PIPE IN STAINLESS STEEL PASSACATENA ACCIAIO INOX AISI 316

Ref		Ø EXT	
GS70035	22 mm 7/8"	95 mm	1

**GOLDENSHIP**





Ref		INT		EXT	
GS70034	95 x 63 mm	143 x 104 mm	1		

**GOLDENSHIP**



## TRAGACABOS DE PLÁSTICO BLANCO ROPE DECK PIPE IN WHITE PLASTIC PASSACATENA IN PLASTICA BIANCA

Ref		Ø EXT	
GS70036	22 mm 7/8"	95 mm	1

**GOLDENSHIP**



ACASTILLAJE, AMARRE Y FONDEO • HARDWARE, MOORING AND ANCHORING  
ACCESSORI BARCHÉ, ANCORAGGIO E ORMEGGIO

RECAMBIO  
MARINOS



# GRILLETES ANCLA • ANCHOR SHACKLES • GIUNTI

## GIRATORIO ANCLA SWIVELL ANCHOR CONNECTOR GIUNTO PER ANCORA


Grillete de unión en acero inox. para todo tipo de anclas.

Doble swivell anchor connector.  
Made in stainless steel.

Giunto girevole in acciaio inox.

Ref		BOCA MOUTH BOCA	
GS71131	6 - 8 mm	15 mm	1
GS71132	10 - 12 mm	20 mm	1
GS71135	10 - 12 mm	22 mm	1

### GOLDENSHIP




Conector giratorio de unión en acero inox. AISI-316, para anclas de tipo Bruce, Delta, Force, etc.

Swivell anchor connector for asymmetric anchors type Bruce, Delta, Force. Made in stainless steel AISI-316.

Girevole in acciaio inox connettore a pettine. AISI-316, per ancore Bruce, tipo Delta Force, ecc

Ref		
GS71136	6 - 8 mm	1
GS71137	10 - 12 mm	1


### GOLDENSHIP



## DOBLE CARDAN DOUBLE CARDAN GIUNTO DOPPIO

Ref		BOCA MOUTH BOCA	
GS71133	6 - 8 mm	15 mm	1
GS71134	8 - 10 mm	20 mm	1

### GOLDENSHIP








## GRILLETE DE ANCLA GRIPPER ANCHOR CONNECTOR GRIPPER GIUNTO GRIPPER

Grillete de unión multiuso para conectar rápidamente a cualquier punto de la cadena. Fabricado en acero inox AISI-316.

Swivel anchor connector. Stainless steel AISI 316.

Giunto in acciaio inox. per multiuso rapidamente collegata a qualsiasi punto della catena.

Ref				
GS71345	6 - 8 mm	7 kN	25 kN	1
GS71346	10 - 12 mm	15 kN	50 kN	1




Ref	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	H (mm)	I (mm)	J (mm)
GS71345	8	9	17	19	75	32	9	17	8
GS71346	12	12	25	28	113	49	14	25	12



Grillete de unión en acero inox AISI-316 para todo tipo de anclas. Permite el paso por la roldana de proa al no tener ninguna parte que sobresalga.

Swivel anchor connector. Stainless steel AISI 316.

Giunto in acciaio inox. Permette il passaggio attraverso il musone di prua, non avendo sporgenze.

Ref			
GS71347	6 - 8 mm	1	
GS71348	8 - 12 mm	1	
GS71349	12 - 14 mm	1	



Ref	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)		
GS71347	93	28	16	10	19	9	240 g	850 kgf
GS71348	117	37	22	13	23	13	550 g	2.000 kgf
GS71349	155	66	35	18	30	17	2.350 g	3.000 kgf

# ANCHA • ANCHOR • ANCORE

## TIPO DELTA DELTA TYPE TIPO DELTA



Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato.

Ref	KG
GS61200	5 kg
GS61201	7,5 kg
GS61202	10 kg
GS61203	15 kg
GS61204	20 kg



## REZON PESCA FISHING NET HOOK PESCA



Fabricado en acero inox AISI-316.

Manufactured in stainless steel AISI-316

In acciaio inox AISI 316

Ref	KG	mm
GS61048	460 g	200 mm
GS61049	960 g	240 mm



## TIPO YATE YACHT TYPE TIPO YACHT



Fabricado en acero inox AISI-316.

Manufactured in stainless steel AISI-316

In acciaio inox AISI 316

Ref	KG
GS61206	5 kg
GS61207	7,5 kg
GS61208	10 kg
GS61209	15 kg
GS61210	20 kg



## TIPO FORCE FORCE TYPE TIPO FORCE



Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato

Ref	KG
GS61030	2,5 kg
GS61031	5 kg
GS61032	7,5 kg
GS61033	10 kg
GS61034	15 kg
GS61035	20 kg



## TIPO DANFORTH DANFORTH TYPE TIPO DANFORTH



Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato

Ref	KG
GS61001	2 kg
GS61002	4 kg
GS61003	6 kg
GS61004	8 kg
GS61005	10 kg
GS61006	12 kg
GS61007	15 kg
GS61008	20 kg



## TIPO FORCE INOX FORCE SS TYPE TIPO FORCE INOX



Fabricado en acero inox AISI-316.

Manufactured in stainless steel AISI-316

In acciaio inox AISI 316

Ref	KG
GS61040	2,5 kg
GS61041	5 kg
GS61042	7,5 kg
GS61043	10 kg
GS61044	15 kg
GS61045	20 kg
GS61046	30 kg
GS61039	50 kg



## TIPO DANFORTH DANFORTH TYPE TIPO DANFORTH



Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato

Ref	KG
GS61080	2 kg
GS61081	4 kg
GS61082	6 kg
GS61083	8 kg
GS61084	10 kg
GS61085	12 kg



## ANCLA PLEGABLE FOLDING ANCHOR ANCORA ARTICOLATA



Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato

Ref	KG
GS61010	1,5 kg
GS61011	2,5 kg
GS61012	3,2 kg
GS61013	4 kg
GS61014	6 kg
GS61015	8 kg
GS61027	10 kg
GS61028	12 kg
GS61029	15 kg



## ANCLA ARADO PLOUGH ANCHOR ANCORAGGIO ARATRO




Fabricado en acero galvanizado.

Manufactured in galvanized steel.

In acciaio galvanizzato

Ref	KG
GS61020	5 kg
GS61021	7 kg
GS61022	9 kg
GS61023	12 kg
GS61024	16 kg
GS61025	22 kg



## ANCLA PLEGABLE INOX FOLDING ANCHOR. SS ANCORA ARTICOLATA INOX



Fabricado en acero inox AISI-316.

Manufactured in stainless steel AISI-316

In acciaio inox AISI 316

Ref	KG
GS61016	1,5 kg
GS61017	2,5 kg
GS61018	4 kg



ACASTILLAJE, AMARRE Y FONDEO • HARDWARE, MOORING AND ANCHORING  
ACCESSORI BARCHÈ, ANCORAGGIO E ORMEGGIO

RECAMBIO  
MARINOS