



CABLES DE MANDO • CONTROL CABLES • CAVI COMANDO

CABLES DE MANDO 3300S ENGINE CONTROL CABLES 3300S CAVI COMANDO 3300S



Con doble funda para mejor eficiencia de trabajo
Recorrido trabajo: 76 mm. Rosca 10-32"

Double coating for maximum efficiency.
Travel 3"
Threaded 10-32"

Con doppia guaina per una miglior efficienza di lavoro.
Allungamento: 76 mm
Filetto 10.32"



REF	
PRE6300S05	5' / 1,50 m
PRE6300S06	6' / 1,80 m
PRE6300S07	7' / 2,10 m
PRE6300S08	8' / 2,45 m
PRE6300S09	9' / 2,75 m
PRE6300S10	10' / 3,05 m
PRE6300S11	11' / 3,35 m
PRE6300S12	12' / 3,65 m
PRE6300S13	13' / 3,95 m
PRE6300S14	14' / 4,25 m
PRE6300S15	15' / 4,60 m
PRE6300S16	16' / 4,90 m
PRE6300S17	17' / 5,20 m
PRE6300S18	18' / 5,50 m
PRE6300S19	19' / 5,80 m
PRE6300S20	20' / 6,10 m
PRE6300S21	21' / 6,40 m
PRE6300S22	22' / 6,70 m
PRE6300S23	23' / 7,00 m
PRE6300S24	24' / 7,30 m
PRE6300S25	25' / 7,60 m
PRE6300S26	26' / 7,90 m
PRE6300S27	27' / 8,25 m
PRE6300S28	28' / 8,55 m
PRE6300S29	29' / 8,85 m
PRE6300S30	30' / 9,15 m
PRE6300S31	31' / 9,50 m
PRE6300S32	32' / 9,75 m
PRE6300S33	33' / 10,00 m
PRE6300S34	34' / 10,35 m
PRE6300S35	35' / 10,65 m
PRE6300S36	36' / 11,00 m
PRE6300S38	38' / 11,50 m
PRE6300S40	40' / 12,10 m
PRE6300S42	42' / 12,70 m
PRE6300S44	44' / 13,30 m
PRE6300S46	46' / 14,00 m
PRE6300S48	48' / 14,50 m
PRE6300S50	50' / 15,00 m




CABLES DE MANDO 3300C ENGINE CONTROL CABLES 3300C CAVI COMANDO 3300C




Recorrido trabajo: 76 mm. Rosca 10-32"

Travel 3"
Threaded 10-32"

Allungamento 76 mm
Filetto 10-32"



REF	
PRE3300C05	5' / 1,50 m
PRE3300C06	6' / 1,80 m
PRE3300C07	7' / 2,10 m
PRE3300C08	8' / 2,45 m
PRE3300C09	9' / 2,75 m
PRE3300C10	10' / 3,05 m
PRE3300C11	11' / 3,35 m
PRE3300C12	12' / 3,65 m
PRE3300C13	13' / 3,95 m
PRE3300C14	14' / 4,25 m
PRE3300C15	15' / 4,60 m
PRE3300C16	16' / 4,90 m
PRE3300C17	17' / 5,20 m
PRE3300C18	18' / 5,50 m
PRE3300C19	19' / 5,80 m
PRE3300C20	20' / 6,10 m
PRE3300C21	21' / 6,40 m
PRE3300C22	22' / 6,70 m
PRE3300C23	23' / 7,00 m
PRE3300C24	24' / 7,30 m
PRE3300C25	25' / 7,60 m
PRE3300C26	26' / 7,90 m
PRE3300C27	27' / 8,25 m
PRE3300C28	28' / 8,55 m
PRE3300C29	29' / 8,85 m
PRE3300C30	30' / 9,15 m
PRE3300C31	31' / 9,50 m
PRE3300C32	32' / 9,75 m
PRE3300C33	33' / 10,00 m
PRE3300C34	34' / 10,35 m
PRE3300C35	35' / 10,65 m
PRE3300C36	36' / 11,00 m
PRE3300C38	38' / 11,50 m
PRE3300C40	40' / 12,10 m
PRE3300C42	42' / 12,70 m
PRE3300C44	44' / 13,30 m
PRE3300C46	46' / 14,00 m
PRE3300C48	48' / 14,50 m
PRE3300C50	50' / 15,00 m



KITS ADAPTADORES DE CABLES 3300C ADAPTERS KIT FOR CABLES 3300C KIT ADATTATORI CAVI 3300C



REF		
PRE30190	Fueraborda MERCURY Outboard MERCURY Fuoribordo MERCURY	1



REF		
PRE30172	Fueraborda JOHNSON / EVINRUDE Outboard JOHNSON / EVINRUDE Fuoribordo JOHNSON / EVINRUDE	1





REF			
PRE30212	MERCUISER		1

REF			
PRE30493	Para mandos OMC For engine control OMC Per comandi OMC		1

REF			
PRE30107	Para mandos MERCURY / MERCUISER For engine control MERCURY / MERCUISER Per comandi MERCURY / MERCUISER		1

REF			
PRE30055	Para colas OMC For sterndrive OMC Per piedi OMC		1

ACCESORIOS PARA CABLES DE MANDO
ACCESSORIES FOR CONTROL CABLES
ACCESSORI CAVI COMANDI



REF				
PRE331125	Horquilla	Fork	Forcella	1
PRE31799	Rótula	Ball joint	Snodo	1
PRE308650	Pivote	Pivot	Perno	1
PRE332010	Abrazadera	Clamp	Ferma cavo	1
PRE331538	Platina	Shim	Piastrina	1
PRE331980	Terminal ojo	Terminale eye	Terminale cavo	1
PRE336174	Fijador 1 cable	Stop collar	Fissatore 1 cavo	1
PRE215154	Fijador 2 cable	Stop collar	Fissatore2 cavi	1
PRE31916	Tirador SD para cable de paro y otros usos	SD control Handle for throttle, choke, stop, etc.	Tirante SD Tirante per cavi e altri usi	1
PRE31917	Soporte angular para tirador SD	Mounting bracket for SD control	Supporto per tirante SD	1



PRE308650



PRE332010



PRE331538



PRE331980



PRE336174



PRE215154



PRE331125



PRE31799



PRE31916



PRE31917

**CABLES DE MANDO KM
ENGINE CONTROL CABLE KM
CAVO COMANDO KM**



Mercury, Mercruiser, Mariner

REF	
PREKM63706	6' / 1,80 m
PREKM63707	7' / 2,10 m
PREKM63708	8' / 2,45 m
PREKM63709	9' / 2,75 m
PREKM63710	10' / 3,05 m
PREKM63711	11' / 3,35 m
PREKM63712	12' / 3,65 m
PREKM63713	13' / 3,95 m
PREKM63714	14' / 4,25 m
PREKM63715	15' / 4,60 m
PREKM63716	16' / 4,90 m
PREKM63717	17' / 5,20 m
PREKM63718	18' / 5,50 m
PREKM63719	19' / 5,80 m
PREKM63720	20' / 6,10 m
PREKM63721	21' / 6,40 m
PREKM63722	22' / 6,70 m
PREKM63723	23' / 7,00 m
PREKM63724	24' / 7,30 m



maxflex

**CABLES DE MANDO 4300C
ENGINE CONTROL CABLE 4300C
CAVO COMANDO 4300C**



Para trabajos pesados. Heavy Duty.
Recorrido trabajo: 76 mm. Travel 3"
Rosca 1/4-28" Threaded 1/4-28"

Per lavori pesanti
Allungamento 7,6cm
Filetto 1/4-28"

REF	
PRE6500C05	5' / 1,50 m
PRE6500C06	6' / 1,80 m
PRE6500C07	7' / 2,10 m
PRE6500C08	8' / 2,45 m
PRE6500C09	9' / 2,75 m
PRE6500C10	10' / 3,05 m
PRE6500C12	12' / 3,65 m
PRE6500C14	14' / 4,25 m
PRE6500C16	16' / 4,90 m
PRE6500C18	18' / 5,50 m
PRE6500C19	19' / 5,80 m
PRE6500C21	21' / 6,40 m
PRE6500C23	23' / 7,00 m
PRE6500C25	25' / 7,60 m
PRE6500C27	27' / 8,25 m
PRE6500C29	29' / 8,85 m
PRE6500C31	31' / 9,50 m
PRE6500C33	33' / 10,00 m
PRE6500C35	35' / 10,65 m
PRE6500C37	37' / 11,28 m
PRE6500C39	39' / 11,89 m
PRE6500C41	41' / 12,56 m
PRE6500C43	43' / 13,11 m
PRE6500C45	45' / 13,71 m
PRE6500C47	47' / 14,33 m



maxflex
PINNACLE



**CABLES DE MANDO GEN II
ENGINE CONTROL CABLE GEN II
CAVO COMANDO GEN II**



Mercury 4000 / 4500 GEN II PLATINUM

REF	
PRE53006	6' / 1,80 m
PRE53007	7' / 2,10 m
PRE53008	8' / 2,45 m
PRE53009	9' / 2,75 m
PRE53010	10' / 3,05 m
PRE53011	11' / 3,35 m
PRE53012	12' / 3,65 m
PRE53013	13' / 3,95 m
PRE53014	14' / 4,25 m
PRE53015	15' / 4,60 m
PRE53016	16' / 4,90 m
PRE53017	17' / 5,20 m
PRE53018	18' / 5,50 m
PRE53019	19' / 5,80 m
PRE53020	20' / 6,10 m
PRE53021	21' / 6,40 m
PRE53022	22' / 6,70 m
PRE53023	23' / 7,00 m
PRE53024	24' / 7,30 m



maxflex

**CABLES DE STOP
UTILITY CABLE
CAVO DI STOP**



REF	
PRE31507	7' / 2,10 m
PRE31508	8' / 2,45 m
PRE31509	9' / 2,75 m
PRE31510	10' / 3,05 m
PRE31511	11' / 3,35 m
PRE31512	12' / 3,65 m
PRE31513	13' / 3,95 m
PRE31514	14' / 4,25 m
PRE31515	15' / 4,60 m
PRE31516	16' / 4,90 m



maxflex

**CABLES DE MANDO MC
ENGINE CONTROL CABLE MC
CAVO COMANDO MC**



OMC, Johnson / Evinrude (1979+)

REF	
PREMC30506	6' / 1,80 m
PREMC30507	7' / 2,10 m
PREMC30508	8' / 2,45 m
PREMC30509	9' / 2,75 m
PREMC30510	10' / 3,05 m
PREMC30511	11' / 3,35 m
PREMC30512	12' / 3,65 m
PREMC30513	13' / 3,95 m
PREMC30514	14' / 4,25 m
PREMC30515	15' / 4,60 m
PREMC30516	16' / 4,90 m
PREMC30517	17' / 5,20 m
PREMC30518	18' / 5,50 m
PREMC30519	19' / 5,80 m
PREMC30520	20' / 6,10 m
PREMC30521	21' / 6,40 m
PREMC30522	22' / 6,70 m
PREMC30523	23' / 7,00 m
PREMC30524	24' / 7,30 m



maxflex